



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended July 8—Contd.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having from 25,000 to 60,000 inhabitants—Continued.</i>														
York, Pa.....	44,750										7			
Zanesville, Ohio.....	28,026										1		2	
<i>Cities having less than 25,000 inhabitants.</i>														
Ann Arbor, Mich.....	14,817	8			1						1			
Bennington, Vt.....		4												
Braddock, Pa.....	19,357	9	3		1						1			
Butler, Pa.....	20,728	4												
Cambridge, Ohio.....	11,327	4												
Camden, S. C.....		2											1	
Carbondale, Pa.....	17,040	4												
Clinton, Mass.....	13,075	8										1		
Coffeyville, Kans.....	12,687	5										1		
Columbus, Ga.....		7										1		
Columbus, Ind.....		4							2			1		
Concord, N. H.....	21,497	15					1					2		
Cumberland, Md.....	21,839	8										1	4	
Dunkirk, N. Y.....		2						1				1		
Galesburg, Ill.....	20,089	10	1											
Gloucester, Mass.....	24,398	4												
Greensboro, N. C.....	15,895	7											1	1
Harrison, N. J.....	14,498	6												
Homestead, Pa.....	18,713	9			3									
Hyde Park, Mass.....	15,507	4												
Kearny, N. J.....	18,659	6					1				1		1	
Kokomo, Ind.....	17,012	4	1	1					2					
La Fayette, Ind.....	12,081	11										1		
Lebanon, Pa.....	19,240	8												
Marinette, Wis.....	14,610	5												
Marlboro, Mass.....	14,579	6					1					1		
Massillon, Ohio.....	13,879	1												
Medford, Mass.....	23,150	11			3									
Melrose, Mass.....	15,715	4			1									
Moline, Ill.....	24,199	3	1						1			1	1	1
Montclair, N. J.....	21,150	7			2									
Morristown, N. J.....	12,507	4											2	
Nanticoke, Pa.....	18,877	1										1		
Newburyport, Mass.....	19,949	14	1		2									
North Adams, Mass.....	22,019	9										2		
Northampton, Mass.....	19,431	5			2									
Palmer, Mass.....		6												
Peekskill, N. Y.....		6			2								1	1
Plainfield, N. J.....	20,550	8									2	1		
Pottstown, Pa.....		9												
Sandusky, Ohio.....		8												
Saratoga Springs, N. Y.....		8			2							1		
South Bethlehem, Pa.....	19,973	9			1									
Steelton, Pa.....	14,246		2								1	4		
Warren, Pa.....	11,080	1	4											
Wilkesburg, Pa.....	11,080	3									1			
Woburn, Mass.....	15,308	9	1	1										

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CONNECTICUT.—Month of June, 1911. Population of reporting towns, 1,112,421. Total number of deaths from all causes 1,170, including diphtheria 15, measles 12, scarlet fever 6, tuberculosis, pulmonary, 118, typhoid fever 4. Cases reported: Diphtheria 150 in

36 towns, measles 529 in 62 towns, scarlet fever 213 in 47 towns, tuberculosis, pulmonary, 151 in 45 towns, typhoid fever 57 in 17 towns.

INDIANA.—Month of May, 1911. Population, 2,700,876. Total number of deaths from all causes 2,686, including diphtheria 9, measles 38, scarlet fever 16, tuberculosis 350, typhoid fever 29. Cases reported: Diphtheria 145 in 28 counties, scarlet fever 519 in 47 counties, smallpox 207 in 22 counties, typhoid fever 134 in 39 counties.

LOUISIANA—*Shreveport*.—Month of June, 1911. Population, 28,015. Total number of deaths from all causes 84, including tuberculosis 8, typhoid fever 7.

MASSACHUSETTS.—Week ended March 4, 1911. Population of reporting towns, 2,578,518. Total number of deaths from all causes 820, including diphtheria 15, measles 2, scarlet fever 6, tuberculosis 77, typhoid fever 5.

Week ended March 11, 1911. Total number of deaths from all causes 863, including diphtheria 14, measles 1, scarlet fever 10, tuberculosis 92, typhoid fever 2.

Week ended March 18, 1911. Population of reporting towns, 2,554,025. Total number of deaths from all causes 887, including diphtheria 9, measles 6, scarlet fever 9, tuberculosis 89, typhoid fever 2.

Week ended March 25, 1911. Population of reporting towns, 2,530,703. Total number of deaths from all causes 873, including diphtheria 10, measles 9, scarlet fever 6, tuberculosis 80, typhoid fever 3.

Morbidity.—During the four weeks ended March 25, 1911, cases of infectious diseases were reported as follows: Diphtheria 514, measles 1,739, scarlet fever 653, typhoid fever 99, tuberculosis, pulmonary, 623, tuberculosis other than pulmonary 15, cerebrospinal meningitis 18, meningitis other than cerebrospinal 5, whooping cough 430, varicella 244, ophthalmia neonatorum 128, poliomyelitis 6, mumps (not notifiable) 63, erysipelas (not notifiable) 1, trachoma 4, tetanus 4, actinomycosis 2.

NEW YORK.—Month of May, 1911. Population, 9,113,614. Total number of deaths from all causes 12,383, including diphtheria 208, measles 167, scarlet fever 177, tuberculosis 1,538, typhoid fever 78. Cases reported: Diphtheria 2,139, measles 10,011, scarlet fever 3,953, smallpox 34, tuberculosis 3,407 (laryngeal and pulmonary), typhoid fever 358.

TEXAS—*Fort Worth*.—Month of June, 1911. Population, 73,312. Total number of deaths from all causes 111, including diphtheria 1, measles 1, tuberculosis 9, typhoid fever 10. Cases reported: Diphtheria 7, measles 4, scarlet fever 7, smallpox 4, tuberculosis 16, typhoid fever 14.